CONTENTS

6TH DANUBE SYMPOSIUM ON CHROMATOGRAPHY, VARNA, OCTOBER 12–17, 1987

Foreword
by R. Nikolov and D. Shopov 1

Biomarker determinations in crude oils using a triple-stage quadrupole mass spectrometer
by R. P. Philp, J. Oung and C. A. Lewis (Norman, OK, U.S.A.) 3

Thin-layer chromatographic separation of some tributylphenyl ethylene oxide oligomers according to the length of the ethylene oxide chain
by T. Cserháti and A. Somogyi (Budapest, Hungary) 17

Gas–liquid chromatographic analysis of isophorone byproducts
by K. Lekova, M. Radulova, M. Bursukova and E. Rasheva (Sofia, Bulgaria) 23

Polyester deactivation of pink supports and its effect on the gas chromatography of some polar, closely boiling and isomeric analytes
by K. Lekova, M. Bursukova, S. Ivanichkova, N. Bojkova and R. Petkova (Sofia, Bulgaria) 31

Reversed-flow gas chromatography applied to physico-chemical measurements
by N. A. Katsanos (Patras, Greece) 39

Gas chromatographic study of the temperature dependence of the hydrogen bopnd energy of adsorption on silica
by Yu. S. Nikitin, R. T. Ro and N. K. Shonia (Moscow, U.S.S.R.) 55

Chromatographic method for kinetic study of heterogeneous reactions
by L. G. Berezkina, S. I. Borisova and S. E. Melnikov (Moscow, U.S.S.R.) 65

Structure–retention correlations of alkylphenols in gas–liquid and gas–solid chromatography
by W. Engewald and U. Billing (Leipzig, G.D.R.) and I. Topalova and N. Petsev (Sofia, Bulgaria) 71

Use of modified tungsten selenide as an adsorbent for gas chromatography
by T. B. Gavrilova, T. M. Roshchina and E. V. Vasil'eva (Moscow, U.S.S.R.) 79

Gas chromatographic–mass spectrometric study of α-phyllocladane dehydrogenation
by G. Alexander and I. Hazai (Budapest, Hungary) and J. Grimalt and J. Albaiges (Barcelona, Spain) 87

Gas chromatography–mass spectrometry of C_1–C_{10} alkyl benzyl succinates
by E. Dziwiński and J. Hetper (Kędzierzyn-Koźle, Poland) 103

Analysis of 2,2-di(*p*-oligooxyethylenephenyl)propane by gas chromatography and gas chromatography–mass spectrometry
by H. Szewczyk, E. Dziwiński and P. Król (Kędzierzyn-Koźle, Poland) 109

Chromatography of microbial metabolites of aromatic amino acids
by M. Jurková and M. Wurst (Prague, Czechoslovakia) 117

Near-wall field-flow fractionation. Application of surface forces and transversal voltage to fractionation in laminar flow
by S. N. Semyonov (Moscow, U.S.S.R.) 131

Integral Doppler anemometry and analytical field-flow fractionation
by S. N. Semyonov, V. L. Kononenko and Ya. K. Shimkus (Moscow, U.S.S.R.) . . . 141

Acoustic field-flow fractionation
by S. N. Semyonov and K. I. Maslov (Moscow, U.S.S.R.) 151

Isolation of parthenolide by droplet counter-current chromatography
by Á. Kéry, Gy. Turiák and P. Tétényi (Budakalász, Hungary) 157

Mechanism governing the sensitivity of a three-electrode ionization chamber
by E. B. Shmidel and L. I. Kalabina (Moscow, U.S.S.R.) 163

Simple instrument for teaching the basics of chromatography in schools
by T. P. Kahn (Moscow, U.S.S.R.) 173

Micropreparative-scale enrichment of some allergenic components of *Parietaria* pollen extract
by A. Bassoli, F. Chioccara, G. Di Gregorio, B. Rindone, S. Tollari, P. Falagiani, G. Riva and E. Bolzacchini (Milan, Italy) 179

Single-step high-performance liquid chromatographic analysis of nucleoside monophosphates for ribonuclease specificity
by S. Abel, G.-J. Krauss and K. Glund (Halle, G.D.R.) 187

Influence of the porous silica gel structure on the coverage density of a chemically bonded C_{18} phase for high-performance liquid chromatography
by B. Buszewski (Lublin, Poland), D. Berek, J. Garaj and I. Novák (Bratislava, Czechoslovakia) and Z. Suprynowicz (Lublin, Poland) 191

Chromatographic separation and partial characterization of microbial low-molecular-weight proteinase inhibitors
by I. Kourteva (Sofia, Bulgaria) 203

Adsorption and chromatographic properties of modified silica sorbents for the production of viral preparations
by I. Krasilnikov and V. Borisova (Moscow, U.S.S.R.) 211

Evaluation of interfacial surface areas in ultra-low-loaded gas chromatographic columns
by R. N. Nikolov (Sofia, Bulgaria) 221

Gas chromatographic analysis of histidine: effect on other amino acids present
by I. Molnár-Perl and V. Fábián-Vonsik (Budapest, Hungary) 231

Gas chromatographic analysis of different homologous series of acids esterified in aqueous solutions with butyl and propyl alcohols
by I. Molnár-Perl, M. Pintér-Szakácz, M. Morvai and V. Fábián-Vonsik (Budapest, Hungary) 237

Gas–liquid chromatography–mass spectrometry studies on pine kraft black liquors. III. The liberation of carboxylic acids in the initial phase of pulping
by K. Niemelä (Espoo, Finland) 247

N-Methoxy-N,O-bistrimethylsilyl carbamate as a derivatizing reagent for the gas chromatography of sitosterol degradation products
by F. Szederkényi, G. Ambrus, Gy. Horváth, E. Ilköy, D. Knausz, B. Csákvári, M. Ábermann and K. Ujszászy (Budapest, Hungary) 253

Densitometric identification of triglycerides separated by reversed-phase thin-layer chromatography
by B. Amidzhin and B. Nikolova-Damyanova (Sofia, Bulgaria) 259

Gas chromatographic characterization of frequently occurring aromatic compounds in essential oils
by É. Lemberkovics and G. Petri (Budapest, Hungary) 267

Stepwise gradient development in thin-layer chromatography. IV. Miniaturized generators for continuous and stepwise gradients
by G. Matysik and E. Soczewiński (Lublin, Poland) 275

Separation of triglyceride groups by reversed-phase thin-layer chromatography on silanized Kieselguhr
by B. Nikolova-Damyanova and B. Amidzhin (Sofia, Bulgaria) 283

Gas chromatography–mass spectrometry study of coal-derived asphaltenes. II. Carbazole-type neutral nitrogen compounds
by M. Stefanova and L. Lazarov (Sofia, Bulgaria) 293

Analytische Characterisierung heteroverbindungshaltiger Kohlenwasserstoffgemische aus der Stoffwandlung von Braunkohle
von H. Zobel, M. Helms, A. Lehmann, D. Radeck und M. Gutmann (Berlin, D.D.R.) . 305

Optimized determination of indole derivatives by high-performance liquid chromatography with selective detection
by R. Kysilka and M. Wurst (Prague, Czechoslovakia) 315

Optimization of fluorescence detection for the determination of labetalol in plasma by high-performance liquid chromatography
by V. Ostrovská, X. Svobodová, A. Pechová, S. Kusala and M. Svoboda (Modra, Czechoslovakia) 323

Influence of the carrier gas flow-rate on the pulsed electron-capture detector
by P. Rotocki and B. Drozdowicz (Cracow, Poland) 329

Shape selectivity of stationary phases for the separation of isomeric hydrocarbons by capillary gas chromatography
by L. Soják and I. Ostrovský (Bratislava, Czechoslovakia) 339

Comparison of mesoporous controlled-porosity glasses to silica gel as solid supports for C_{18} chemically bonded phases
by Z. Suprynowicz, B. Buszewski, R. Lodkowski and A. L. Dawidowicz (Lublin, Poland) 347

Author Index 359

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)